

Data sheet

Painting medium

Identification of the Substance/Mixture and of the Company/Undertaking

Product Identifier

Product Name: Painting medium

Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses: coatings, plastics additive

Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: ProfPlus.eu, c/o Larsen Fine Art v/ Claus Larsen,
Company Registration- EU VAT- and EORI number: DK41092254
Address: Hovedgaden 29, 8654 Bryrup; Denmark
Telephone: +45 6154 3231
Internet: www.profplus.eu
Email: info@profplus.eu

the product consists of three components:

Component 1 is Odourless solvent
Component 2 is Hydrocarbon Resin
Component 3 is Linseed Oil, varnish oil

The three components are described separately and in detail:

Component 1

Turpentine Substitute, Odourless

Product identifier HYDROCARBONS, C11-C14, ISO-ALKANES, CYCLICS, < 2% AROMATES ; EC No. : 927-285-2 ;
REACH registration No. : 01-2119480162-45 1.2 Relevant identified uses of the substance or mixture and uses
advised against Relevant identified uses Coatings and paints, thinners, paint removers Solvent

Hazards identification

Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Asp.
Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways.

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Health hazard (GHS08) Signal
word Danger

Hazard statements

H304 May be fatal if swallowed and enters airways. Precautionary statements
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting.
P501 Dispose of contents/container according to local regulations Supplemental Hazard information (EU)
EUH066 Repeated exposure may cause skin dryness or cracking.
Other hazards: None

Composition/information on ingredients

Substance name : HYDROCARBONS, C11-C14, ISO-ALKANES, CYCLICS, < 2% AROMATES EC No. : 927-285-2 REACH
No. : 01-2119480162-45 Purity : ≥ 90 - < 100 % [mass]

Data sheet

First aid measures

Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

Remove affected person from the danger area and lay down. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

Following inhalation Remove casualty to fresh air and keep warm and at rest.

In case of respiratory tract irritation, consult a physician.

In case of skin contact Change contaminated, saturated clothing. Subsequently wash off with: Water and soap After eye contact Rinse immediately carefully and thoroughly with eye-bath or water.

In case of eye irritation consult an ophthalmologist.

After ingestion Do NOT induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let water be drunken in little sips (dilution effect).

Most important symptoms and effects, both acute and delayed dizziness, headache ,impairment of vision nausea Vomiting

Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

Firefighting measures

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing media Suitable extinguishing media alcohol resistant foam Carbon dioxide (CO₂) Extinguishing powder Water spray Unsuitable extinguishing media High power water jet 5.2 Special hazards arising from the substance or mixture In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO₂)

Advice for firefighters In case of fire: Wear self-contained breathing apparatus. Protective clothing.

Additional information Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged White Spirit, Odourless 18.04.2017 02.05.2017 Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Provide adequate ventilation.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Use water spray jet to minimise or disperse vapours.

Methods and material for containment and cleaning up Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Clear contaminated areas thoroughly.

Data sheet

Handling and storage

Precautions for safe handling If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Protective measures All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Measures to prevent fire Usual measures for fire prevention. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Measures to prevent aerosol and dust generation Vapours/aerosols should be exhausted directly at the point of origin. Use only in well-ventilated areas. Environmental precautions Shafts and sewers must be protected from entry of the product.

Conditions for safe storage

This includes any incompatibilities Hints on joint storage Storage class (VCI): 10 Storage class (TRGS 510): 10

Specific end use(s)

None SECTION 8: Exposure controls/personal protection 8.1 Control parameters None 8.2 Exposure controls White Spirit, Odourless Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Personal protection equipment Eye/face protection Eye glasses with side protection Skin protection Hand protection Suitable gloves type : Gloves with long cuffs Suitable material : NBR (Nitrile rubber) Break-through time : ≥ 480 min Thickness of the glove material : 0,5 mm Recommended glove articles : DIN EN 374 Additional hand protection measures : Check leak tightness/impermeability prior to use. Do not wear gloves near rotary machines and tools. In the case of wanting to use the gloves again, clean them before taking off and air them well. Remark : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Body protection lab coat Overall Chemical resistant safety shoes Only wear fitting, comfortable and clean protective clothing. Recommended material : Natural fibres (e.g. cotton) heat-resistant synthetic fibres Respiratory protection If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values / aerosol or mist formation. Suitable respiratory protection apparatus Filtering device (full mask or mouthpiece) with filter : A General health and safety measures Wash hands before breaks and after work. Apply skin care products after work.

Physical and chemical properties

Information on basic physical and chemical properties Appearance : liquid Colour : colourless Odour : hydrocarbons, aliphatic Safety relevant basis data Melting point/melting range : $-45,0$ °C Initial boiling point and boiling range : (1013 hPa) 185,0 - 215,0 °C Decomposition temperature : No data available Flash point : approx. 62,0 °C DIN 51755 part 1 Ignition temperature : 230,0 °C Oxidising liquids : No data available. Lower explosion limit : 0,6 Vol-% Upper explosion limit : 7,0 Vol-% Explosive properties : No data available. White Spirit, Odourless 18.04.2017 02.05.2017 Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Trade name : Revision date : Version (Revision) : 18.1.0 (18.0.0) Print date : Page : 5 / 8 (EN / D) Vapour pressure 20°C): (20 °C) 0,6 hPa Dichte : (15 °C) approx. 0,76 g/cm³ Water solubility : (20 °C) not miscible pH-value: (20 °C / conc.) not applicable log P O/W : No data available Cinematic viscosity : (40 °C) 1,6 mm² /s Odour threshold : No data available Relative vapour density : (20 °C) 4,5 (air = 1) Vapourisation rate : No data available Maximum VOC content (EC) : (20 °C) 100,0 Wt % gem. RL 1999/13/EG Max. VOC content (Deco-paint): (20 °C) 100,0 Wt % gem. RL 2004/42/EG.

Other information

no more data available

Data sheet

Stability and reactivity

With regards to reactivity, no information available. With regards to Chemical stability. This solvent is stable under recommended storage and handling conditions.

Possibility of hazardous reactions

None

Conditions to avoid

Heat, sparks, flames and other ignition sources.

Incompatible materials

None

Hazardous decomposition products

Does not decompose when used for intended uses.

Toxicological information

Information on toxicological effects: Acute effects Based on available data, the classification criteria are not met. Acute oral toxicity Parameter : LD50 Exposure route : Oral Species : Rat Effective dose : > 5000 mg/kg Method : OECD 401 Acute dermal toxicity Parameter : LD50 Exposure route : Dermal Species : Rabbit Effective dose : > 5000 mg/kg Method : OECD 402 Acute inhalation toxicity Parameter : LC50 Exposure route : Inhalation Species : Rat White Spirit, Odourless 18.04.2017 02.05.2017 Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). > 5000 mg/m³ Method : OECD 403 Irritant and corrosive effects Based on available data, the classification criteria are not met. Sensitisation Based on available data, the classification criteria are not met. Repeated dose toxicity (subacute, subchronic, chronic) Subacute oral toxicity Parameter : NOAEL(C) Exposure route : Oral Species : Rat Effective dose : => 5000 mg/kg Exposure time : 90 d Subacute inhalation toxicity Parameter : NOAEL(C) Exposure route : Inhalation Species : Rat Effective dose : > 10400 mg/m³ Exposure time : 90 d CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard May be fatal if swallowed and enters airways.

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Symptoms related to the physical, chemical and toxicological characteristics There are no data available on the preparation/mixture itself.

Other adverse effects

No information available.

Additional information

The product is classified and labelled according to EC directives or corresponding national laws. Classification according to Regulation (EC) No 1272/2008 [CLP] Toxicological data are not available.

Ecological information

Toxicity Aquatic toxicity Based on available data, the classification criteria are not met. Chronic (long-term) fish toxicity Parameter : NOELR White Spirit, Odourless Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Effective dose : 0,103 mg/l Exposure time : 28 d Chronic (long-term) daphnia toxicity Parameter : NOELR Species : Daphnia magna (Big water flea) Effective dose : 1 mg/l Exposure time : 21 d Acute (short-term) algae toxicity Parameter : NOELR Effective dose : > 1000 mg/l Exposure time : 72 h 12.2 Persistence and degradability Biodegradable.

Data sheet

Bioaccumulative potential

No indication of bioaccumulation potential.

Mobility in soil

No information available.

Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Other adverse effects

No information available.

Additional ecotoxicological information

None

Disposal considerations

Dispose according to legislation.

Waste treatment methods

Product/Packaging disposal Waste codes/waste designations according to EWC/AVV Waste code product Waste code (91/689/EEC) : 07 01 04*

Additional information

None

Transport information

UN number No dangerous good in sense of these transport regulations.

UN proper shipping name

No dangerous good in sense of these transport regulations.

Transport hazard class(es)

No dangerous good in sense of these transport regulations.

Packing group

No dangerous good in sense of these transport regulations.

Environmental hazards

No dangerous good in sense of these transport regulations.

Special precautions for user

None

Transport in bulk according to Annex II of Marpol and the IBC

Code not relevant

Additional information

Land transport (ADR/RID) No dangerous good in sense of these transport regulations. Sea transport (IMDG) No dangerous good in sense of these transport regulations. Air transport (ICAO-TI / IATA-DGR) No dangerous good in sense of these transport regulations.

Data sheet

Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations Water hazard class (WGK) Class : 1 (Slightly hazardous to water)

Additional information

Substance/product listed in the following inventories CAS No. : 64741-65-7 DSL/NDSL ; TSCA ; PICCS ; KECL 15.2 Chemical safety assessment No information available.

Other information

Labelling according to Regulation (EC) No. 1272/2008 [CLP] · Aquatic toxicity · Water hazard class (WGK) 1

Abbreviations and acronyms

None

Key literature references and sources for data

None

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

Relevant H- and EUH-phrases (Number and full text)

None

Training advice

None

Additional information

None

Component 2

Relgarez[®] 1126

Hazards Identification

Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS). This product does not require classification and labelling as hazardous according to CLP/GHS.

Classification according to Directive No. 67/548/EC or No. 1999/45/EC

The material is not subject to classification according to EC lists.

Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS). This product does not require classification and labelling as hazardous according to CLP/GHS.

Hazard designation:

Signal word:

Hazard designation:

Safety designation:

Hazardous components for labelling:

Data sheet

Other Hazards

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)

67284 Regalrez® 1126

Relevant identified Uses of the Substance or Mixture and Uses advised against Identified uses:

Adhesive, coatings, plastics additive

Hazards Identification

Classification of the Substance or Mixture. Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Classification according to Directive No. 67/548/EC or No. 1999/45/EC

The material is not subject to classification according to EC lists.

Safety Phrases:

Possible Environmental Effects

Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS). This product does not require classification and labelling as hazardous according to CLP/GHS.

Chemical Characterization:

Information on Components / Hazardous

Ingredients: Hydrogenated hydrocarbon resin 100 %

First Aid Measures

Seek medical attention in case of complaints. After inhalation: Supply fresh air and seek medical advice in case of complaints.

After skin contact: Wash off with plenty of water and soap. Consult a physician if irritation persists. After contact with molten material cool affected skin with water. Consult a physician immediately.

After eye contact: Rinse open eyes with plenty of water for at least 15 minutes. Remove contact lens. Consult a physician immediately.

After ingestion: Do not induce vomiting. Immediately get medical help.

Most important Symptoms and Effects, both Acute and Delayed Symptoms: Treat chemical burns like burns. The material detaches itself with progressive healing. For this reason it is not necessary to remove product from skin immediately. Effects: The contact with the molten material/product can cause severe burns to skin and eyes. Indication of any Immediate Medical Attention and special Treatment needed:

Treat symptomatically.



Data sheet

Fire-Fighting Measures

CO₂, extinguishing powder, water jet.

Unsuitable extinguishing media: None known.

Special Hazards arising from the Substance or Mixture

May cause explosive dust-air-mixtures. Take measures to prevent electricity static discharge. Ground properly.

Advice for Firefighters

Protective equipment: Wear self-contained respiratory protective device and full protective gear.

Further information:

Risk of dust explosion.

Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures. Personal precautions:

Wear protective clothing.

Avoid formation of dust.

Environmental Precautions

No special measures required.

Methods and Material for Containment and Cleaning Up

Methods and material: Take up mechanically and collect in suitable containers for chemical waste. Label container appropriately.

Handling and Storage

Precautions for Safe Handling. Instructions on safe handling:

Avoid contact with molten material.

Hygienic measures:

Keep away from foodstuffs and drinks.

Conditions for Safe Storage, including any Incompatibilities

Storage conditions: Store in tightly sealed containers in a dry and cool room.

Requirements for storage areas and containers:

Information on fire and explosion protection:

Risk of dust explosion.

Storage class (VCI):

Parameters to be controlled:

Derived No-Effect Level (DNEL): No values available.

Predicted No-Effect Concentration (PNEC):

No values available.

Data sheet

Technical protective measures:

Facilities storing or utilizing this material should be equipped with an eyewash facility or eyewash bottle. Provide adequate ventilation/exhaust system.

Personal Protection:

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

Respiratory protection:

Required in case of insufficient ventilation (EN 143 or 149).

Hand protection:

Wear heat resistant protective gloves.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Protective suit with long sleeves.

Environmental precautions:

No special measures required.

Physical and Chemical Properties

Form: flakes

Colour: colorless

Odour: weak

Odor threshold: No information available.

pH-Value: not determined

Melting temperature: 124°C

Boiling temperature: not available

Flash point: 198°C

Evaporation rate: No information available.

Flammability (solid, gas): not available

Upper explosion limit: no information available

Lower explosion limit: no information available

Vapour pressure: not applicable

Vapor density: No information available.

Density: 0.97 g/cm³ (25°C)

Solubility in water: practically insoluble

Coefficient of variation (n-Octanol/Water): no information available

Auto-ignition temperature: No information available.

Decomposition temperature: No decomposition if used according to specifications.

Viscosity, dynamic: 1100 mPa.s (180°C)

Explosive properties: not available

Oxidizing properties: No information available.

Solubility in solvents: Viscosity, kinematic

Burning class: not available

Solvent content: not available

Solid content: not available

Particle size: not available

Data sheet

Reactivity

Stable if used according to specifications.

Chemical Stability

The product is chemically stable.

Possibility of Hazardous Reactions

No information available.

Conditions to avoid

No decomposition if used according to specifications.

Thermal decomposition

No decomposition if used according to specifications.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide and dioxide.

Information on Toxicological Effects

Acute Toxicity: No information available.

LD50, oral:

LD50, dermal:

LC50, inhalation:

Primary effects: Irritant effect on skin:

Irritant effect on eyes: No information available.

Inhalation: No information available.

Ingestion: No information available

Sensitization: No relevant data found.

Mutagenicity: No relevant data found.

Reproductive toxicity: No information available.

Carcinogenicity: No relevant data found.

Teratogenicity: No information available.

Specific target organ toxicity (STOT): Single exposure: no information available.

Repeated exposure: no information available.

Additional toxicological information:

Skin /Eye contact: the molten material causes thermal burns.

Ecological Information

Aquatic Toxicity: No toxicity expected.

Fish toxicity:

Daphnia toxicity:

Bacteria toxicity:

Algae toxicity:

Data sheet

Persistency and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Results of PBT- und vPvP Assessment

No data available.

Other Adverse Effects

Water hazard class: Not hazardous.

Behaviour in sewage systems

Further ecological effects: There are no data available on the product itself.

Waste Treatment Methods

Product: Dispose of according to official national and local regulations.

European Waste Code (EWC): Uncleaned packaging: Dispose of according to official local regulations.

Transport Information

UN Number ADR, IMDG, IATA

UN Proper Shipping Name ADR/RID: No hazardous goods according to ADR (land transportation).

IMDG/IATA: No hazardous goods according to IMDG.

Transport Hazard Classes

ADR Class: not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

IATA Class:

Hazard no.:

Packaging Group

ADR/RID: not applicable

IMDG:

IATA:

Environmental Hazards

Not classified as environmentally hazardous.

Special Precautions for User

not applicable

Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

not applicable

Data sheet

Further Information

Do not store together with foodstuffs.

Regulatory Information

Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture
Water hazard class: 0, not hazardous

Local regulations on chemical accidents:
Employment restrictions:
Restriction and prohibition of application:
Technical instructions on air quality:

Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Further Information

Listed in: TSCA (US), AICS (AUS), DSL (CA), PICCS (PH), ECL (KR), MITI (JP), IECSC (CN)
OSHA: This product is a "Hazardous Chemical" as defined by the
OSHA Hazard Communication Standard, 29 CFR 1910.1200: Combustible dust

Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.

Data sheet



Component 3

Linseed Oil, varnish oil

Hazards Identification

Classification of the substance or mixture: Classification according to Regulation (EC) No 1272/2008 [CLP]

Label elements

The product is classified and labelled according to EC directives or corresponding national laws.
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms: not applicable
Hazard statements: not applicable
Precautionary statements: not applicable
Supplemental Hazard information (EU): not applicable

Other hazards

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be placed in a closed metal container soaked with water. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.

Substances

Description: Painting Medium for Oil-Colour

Hazardous ingredients

Classification according to Regulation (EC) No 1272/2008 [CLP]

EC No.	not applicable
CAS No.	not applicable
REACH No.	not applicable
Chemical name	Wt %

Description of first aid measures

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.


After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Most important symptoms and effects, both acute and delayed. In all cases of doubt, or when symptoms persist, seek medical advice.



Data sheet



Extinguishing media

Suitable extinguishing media: alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons: strong water jet

Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases: Dense black smoke occurs during fire. Hazardous decomposition byproducts may form with exposure to high temperatures.

Hazardous decomposition products: Acrolein

Special protective equipment for firefighters

Provide a conveniently located respiratory protective device.

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Personal precautions, protective equipment and emergency procedures

Environmental precautions: Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

Methods and material for containment and cleaning up: Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations.

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke.

Special danger of slipping by leaking/spilling product.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels. Storage in accordance with the Ordinance on Industrial Safety and Health. Keep container tightly closed.

Hints on joint storage: Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions: Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed.

Control parameters

Occupational exposure limit values:
INDEX No. not applicable / CAS No.

Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.



Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains.

Information on basic physical and chemical properties

Appearance:	Liquid
Physical state	Liquid
Colour	light yellow
Odour	characteristic

Safety relevant basis data

Unit	Method	Remark
Flash point (°C)	> 300 °C	DIN 53213
Vapour pressure at 20 °C::	1	
Density at 20 °C::	0,93 g/cm ³	
Water solubility (g/L)	insoluble	
pH at 20 °C::	-	
Viscosity at 20 °C:	50 mPa*s	

Data sheet

Reactivity & Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on

Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on Hazardous decomposition by products may form with exposure to high temperatures. Hazardous decomposition products: Acrolein. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later.

Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides, Acrolein.

Classification according to Regulation (EC) No 1272/2008 [CLP]

No data on preparation itself available.

Information on toxicological effects

Acute toxicity: Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation: Toxicological data are not available.

Respiratory or skin sensitisation: Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction): Toxicological data are not available.

Specific target organ toxicity: Toxicological data are not available.

Aspiration hazard: Toxicological data are not available.

Ecological information

overall evaluation: Classification according to Regulation (EC) No 1272/2008 [CLP]. There is no information available on the preparation itself. Do not allow to enter into surface water or drains.

Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

Persistence and degradability

Toxicological data are not available.

Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

Mobility in soil

Toxicological data are not available.

Results of PBT assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Other adverse effects

Data not available

Data sheet

Waste treatment methods

Appropriate disposal / Product Recommendation: Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Wastedisposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations

in accordance with EWC080112 waste paint and varnish packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point forused paints.

Additional information

Spontaneous ignition possible through autoxidation of cloths soaked in the product.

Transport

No dangerous good in sense of this transport regulation.

UN number: not applicable

UN proper shipping name

Transport hazard class(es): not applicable

Packing group: not applicable

Environmental hazards:

Land transport (ADR/RID) not applicable

Marine pollutant: not applicable

Special precautions for user: Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do incase of an accident or leakage.

Transport in bulk according to Annex II of Marpol and the IBC Code: not applicable

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation: Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).VOC-value (in g/L) ISO 11890-2: 0. VOC-value (in g/L) ASTM D 2369: 0